

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

1.9
EC 714
C. 2

S



United States
Department of
Agriculture

Agricultural
Marketing
Service

TOB-130

May 1990

Tobacco Stocks

As of April 1, 1990

Contents

Page

| | |
|---|------|
| Stocks of leaf tobacco held by grower cooperatives | 2 |
| Conversion factors for adjusting for losses in weight | 2 |
| Stocks of leaf tobacco, summary by types | 3 |
| Production, stocks, supply, and disappearance of individual types (farm-sales-weight) | 4-5 |
| Summary of tobacco leaf represented in inventories of tobacco sheet | 5 |
| Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers | 6 |
| Statistics on manufacture and sale of tobacco products | 7 |
| Statistics on inspection of imported Flue-cured, Burley, and Dark tobacco | 8-11 |

Table 1.--Stocks of leaf tobacco held by grower cooperatives, April 1, 1990 and January 1, 1990, on a reported-weight basis

| Type name | U.S. Type number | April 1, 1990 | | | January 1, 1990 | | |
|--|------------------|---------------|-----------|-----------|-----------------|-----------|-----------|
| | | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Flue-cured | 11-14 | 0 | 176,909 | 176,909 | 0 | 181,209 | 181,209 |
| Virginia fire & sun-cured. | 21-37 | 1,286 | 0 | 1,286 | 1,549 | 0 | 1,549 |
| Tennessee & Kentucky fire-cured. | 22-23 | 9,696 | 0 | 9,696 | 9,859 | 0 | 9,859 |
| Burley | 31 | 0 | 86,010 | 86,010 | 0 | 96,874 | 96,874 |
| One sucker & Green River | 35-36 | 8,417 | 0 | 8,417 | 8,858 | 0 | 8,858 |
| Ohio filler (Miami Valley) | 42 | 0 | 0 | 0 | 0 | 0 | 0 |
| Puerto Rican | 46 | 496 | 0 | 496 | 506 | 0 | 506 |
| Connecticut Valley binder. | 51-52 | 2,079 | 0 | 2,079 | 2,130 | 0 | 2,130 |
| Wisconsin binder | 54-55 | 0 | 0 | 0 | 620 | 0 | 620 |
| Total all types | 11-55 | 21,974 | 262,919 | 284,893 | 23,522 | 278,083 | 301,605 |

Table 2.--Factors used in converting reported stocks to farm-sales-weight equivalent as of April 1, 1990 1/ 2/

| | Types 11-14 | Type 21 | Types 22-23 | Type 31 | Type 32 | Types 35-36 | Type 37 | Type 41 | Type 42 | Type 46 |
|-----------|-------------|-------------|-------------|---------|-------------|-------------|---------|---------|---------|---------|
| | Factor | Factor | Factor | Factor | Factor | Factor | Factor | Factor | Factor | Factor |
| Unstemmed | 1.120 | 1.230 | 1.040 | 1.120 | 1.020 | 1.110 | 1.160 | 1.020 | 1.020 | 1.150 |
| Stemmed | 1.470 | 1.598 | 1.471 | 1.550 | 1.400 | 1.560 | 1.538 | 1.718 | 1.730 | 1.551 |
| | Types 51-52 | Types 54-55 | Type 61 | Type 62 | Types 72-73 | Types 81-89 | Type 91 | Type 92 | Type 93 | |
| | Factor | Factor | Factor | Factor | Factor | Factor | Factor | Factor | Factor | |
| Unstemmed | 1.130 | 1.040 | 1.100 | -- | 1.120 | 1.160 | 1.100 | 1.120 | 1.120 | |
| Stemmed | 1.627 | 1.699 | 1.419 | 1.408 | 1.493 | 1.624 | 1.466 | 1.470 | 1.550 | |

1/ The instructions for reporting unstemmed cigar-leaf of domestic types require that dealers and manufacturers indicate the weight basis on which the tobacco is reported, namely, farm-sales weight, marked weight, or sweated weight. The stocks are converted to the farm-sales-weight equivalent on the basis of average factors reflecting the percentage reported each quarter in each of these three categories.

2/ Types 11-37 are reported on the basis of packed weight.

Table 3.--Stocks of leaf tobacco summary by types ^{1/} ^{2/}

| Type name | U.S. Type number | Farm-sales weight | | | Reported weight | | |
|---|------------------|-------------------|-------------|-------------|---------------------|-------------------|-----------------|
| | | Apr. 1 1990 | Jan. 1 1990 | Oct. 1 1989 | April 1, 1990 | | |
| | | 1,000 lb. | 1,000 lb. | 1,000 lb. | Unstemmed 1,000 lb. | Stemmed 1,000 lb. | Total 1,000 lb. |
| Flue-cured | 11-14 : | 1,518,375 | 1,758,991 | 1,733,978 | 15,303 | 1,021,249 | 1,036,552 |
| Virginia fire-cured. | 21 : | 6,621 | 6,268 | 6,470* | 5,365 | 14 | 5,379 |
| Tennessee & Kentucky fire-cured. | 22-23 : | 78,883 | 69,384 | 75,850* | 64,017 | 8,365 | 72,382 |
| Total fire-cured. | 21-23 : | 85,504 | 75,652 | 82,320* | 69,382 | 8,379 | 77,761 |
| Burley | 31 : | 1,148,076 | 1,131,658 | 963,095* | 1,675 | 739,484 | 741,159 |
| Southern Maryland. | 32 : | 23,396 | 27,668 | 33,113 | 132 | 16,610 | 16,749 |
| Total light air-cured | 31-32 : | 1,171,472 | 1,159,326 | 996,208* | 1,814 | 756,094 | 757,908 |
| One sucker & Green River | 35-36 : | 35,439 | 33,772 | 36,566* | 23,093 | 6,276 | 29,369 |
| Virginia sun-cured | 37 : | 806 | 649 | 527 | 241 | 342 | 583 |
| Total dark air-cured. | 35-37 : | 36,245 | 34,421 | 37,093* | 23,334 | 6,618 | 29,952 |
| Pennsylvania seedleaf. | 41 : | 28,780 | 18,351 | 24,348 | 25,837 | 1,412 | 27,249 |
| Ohio filler (Miami Valley) | 42-44 : | 1,733 | 2,326 | 4,067* | 1,668 | 18 | 1,686 |
| Puerto Rican | 46 : | 2,366 | 4,346 | 3,418 | 1,862 | 145 | 2,007 |
| Total cigar filler. | 41-46 : | 32,879 | 25,023 | 31,833* | 29,367 | 1,575 | 30,942 |
| Connecticut Valley binder. | 51-52 : | 5,010 | 5,502 | 4,905 | 4,096 | 235 | 4,331 |
| Wisconsin binder | 54-55 : | 33,902 | 18,913 | 29,635 | 31,542 | 643 | 32,185 |
| Total cigar binder. | 51-55 : | 38,912 | 24,415 | 34,540 | 35,638 | 878 | 36,516 |
| Total cigar wrapper | 61-62 : | 2,185 | 2,445 | 2,953 | 1,922 | 50 | 1,972 |
| Perique. | 72 : | 67 | 88 | 109 | 40 | 15 | 55 |
| Other miscellaneous domestic ^{3/} | 73 : | 7,426 | 2,850 | 3,073 | 4,945 | 1,264 | 6,209 |
| Total miscellaneous domestic. | 72-73 : | 7,493 | 2,938 | 3,182 | 4,985 | 1,279 | 6,264 |
| Indonesia. | 82 : | 14,545 | 15,549 | 13,218 | 5,718 | 4,872 | 10,590 |
| Philippine Islands | 83 : | 2,507 | 2,601 | 3,291 | 1,383 | 556 | 1,939 |
| Brazil | 84 : | 7,169 | 7,570 | 10,293 | 1,496 | 3,346 | 4,842 |
| Colombia | 85 : | 2,795 | 3,158 | 3,856 | 665 | 1,246 | 1,911 |
| Dominican Republic | 86 : | 5,938 | 5,570 | 6,276 | 3,380 | 1,242 | 4,622 |
| Paraguay | 87 : | 2,673 | 2,252 | 2,107 | 2,103 | 144 | 2,247 |
| Mexico | 88 : | 1,944 | 1,900 | 1,934 | 1,032 | 460 | 1,492 |
| Other foreign-grown cigar leaf | 89 : | 22,295 | 22,463 | 23,697 | 14,074 | 3,676 | 17,750 |
| Total imported cigar. | 81-89 : | 59,866 | 61,063 | 64,672 | 29,851 | 15,542 | 45,393 |
| Foreign-grown oriental & aromatic: | 91 : | 348,061 | 325,271 | 292,533 | 309,036 | 5,540 | 314,576 |
| Foreign-grown flue-cured | 92 : | 170,069 | 180,939 | 199,210 | 5,854 | 111,233 | 117,087 |
| Foreign-grown burley | 93 : | 153,484 | 152,556 | 152,299* | 7,173 | 93,839 | 101,012 |
| Total imported cigarette and smoking tobacco leaf | 91-93 : | 671,614 | 658,766 | 644,042* | 322,063 | 210,612 | 532,675 |
| Total all types | 11-93 : | 3,624,545 | 3,803,040 | 3,630,821 | 533,659 | 2,022,276 | 2,555,935 |

^{1/} Totals include stocks of leaf reported in tobacco sheet. See table 5.^{2/} These statistics represent the quantity of leaf tobacco owned by dealers and manufacturers and others subject to provisions of P. L. 661, enacted January 14, 1929, and the amendments thereto.^{3/} Type 73 is defined as all domestic tobacco not otherwise classified.

Table 4.--Production, stocks, supply, and disappearance, by types, on a farm-sales-weight basis

| Flue-cured, types 11-14 (July-June marketing year) | | | | | | | | |
|--|------------------|---------------------|--------------|----------------|---------------|-----------|-----------|-----------|
| Marketing year | Beginning stocks | Production or sales | Total supply | Marketing year | Ending stocks | Total | Exports | Domestic |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| July 1, 1986 | 1,958,025 | 666,898 | 2,624,923 | July 1, 1987 | 1,751,991 | 872,932 | 393,191 | 479,741 |
| July 1, 1987 | 1,751,991 | 683,200 | 2,435,191 | July 1, 1988 | 1,512,573 | 922,618 | 385,282 | 537,336 |
| July 1, 1988 | 1,512,573 | 796,100 | 2,308,673 | July 1, 1989 | 1,423,988 | 884,685 | 362,825 | 521,860 |
| Virginia Fire-cured, type 21 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 5,806* | 3,538 | 9,344 | Oct. 1, 1987 | 6,978* | 2,366 | 2,043 | 323 |
| Oct. 1, 1987 | 6,978* | 2,600 | 9,578 | Oct. 1, 1988 | 6,420* | 3,158 | 2,582 | 576 |
| Oct. 1, 1988 | 6,420* | 2,920 | 9,340 | Oct. 1, 1989 | 6,470* | 2,870 | 2,545 | 325 |
| Total, types 22-23 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 94,353* | 37,733 | 132,086 | Oct. 1, 1987 | 93,045* | 39,041 | 20,452 | 18,589 |
| Oct. 1, 1987 | 93,045* | 24,975 | 118,020 | Oct. 1, 1988 | 79,231* | 38,789 | 19,198 | 19,591 |
| Oct. 1, 1988 | 79,231* | 27,824 | 107,055 | Oct. 1, 1989 | 75,850* | 31,205 | 16,626 | 14,579 |
| Burley type 31 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 1,426,187* | 419,833 | 1,846,020 | Oct. 1, 1987 | 1,278,823* | 567,197 | 165,275 | 401,922 |
| Oct. 1, 1987 | 1,278,823* | 427,500 | 1,706,323 | Oct. 1, 1988 | 1,073,302* | 633,021 | 156,480 | 476,541 |
| Oct. 1, 1988 | 1,073,302* | 468,100 | 1,541,402 | Oct. 1, 1989 | 963,095* | 578,307 | 163,965 | 414,342 |
| Maryland, type 32 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 53,408 | 27,750 | 81,158 | Oct. 1, 1987 | 50,665 | 30,493 | 6,559 | 23,934 |
| Oct. 1, 1987 | 50,665 | 20,738 | 71,403 | Oct. 1, 1988 | 41,191 | 30,212 | 5,383 | 24,823 |
| Oct. 1, 1988 | 41,191 | 18,445 | 59,636 | Oct. 1, 1989 | 33,113 | 26,523 | 5,123 | 21,400 |
| Total, types 35-36 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 48,959* | 11,018 | 59,977 | Oct. 1, 1987 | 46,667* | 13,330 | 2,405 | 10,925 |
| Oct. 1, 1987 | 46,667* | 6,846 | 53,513 | Oct. 1, 1988 | 38,390* | 15,123 | 1,441 | 13,682 |
| Oct. 1, 1988 | 38,390* | 7,392 | 45,782 | Oct. 1, 1989 | 36,567* | 9,215 | 1,824 | 7,391 |
| Virginia Sun-cured, type 37 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 933 | 162 | 1,095 | Oct. 1, 1987 | 963 | 132 | 108 | 24 |
| Oct. 1, 1987 | 963 | 130 | 1,093 | Oct. 1, 1988 | 829 | 264 | 128 | 136 |
| Oct. 1, 1988 | 829 | 127 | 956 | Oct. 1, 1989 | 527 | 429 | 126 | 303 |
| Pennsylvania Seedleaf, type 41 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 41,721 | 15,200 | 56,921 | Oct. 1, 1987 | 32,096 | 24,825 | 195 | 24,630 |
| Oct. 1, 1987 | 32,096 | 13,300 | 45,396 | Oct. 1, 1988 | 25,060 | 20,336 | 306 | 20,030 |
| Oct. 1, 1988 | 25,060 | 11,700 | 36,760 | Oct. 1, 1989 | 24,348 | 12,412 | 22 | 12,390 |
| Ohio Filler, types 42-44 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 7,073 | 510 | 7,583 | Oct. 1, 1987 | 6,321 | 1,262 | 0 | 1,262 |
| Oct. 1, 1987 | 6,321 | 72 | 6,393 | Oct. 1, 1988 | 5,810* | 583 | 0 | 583 |
| Oct. 1, 1988 | 5,810* | 30 | 5,840 | Oct. 1, 1989 | 4,067* | 1,773 | 0 | 1,773 |
| Puerto Rican Filler, type 46 (October-September marketing year) | | | | | | | | |
| Oct. 1, 1986 | 6,028 | 500 | 6,528 | Oct. 1, 1987 | 4,965 | 1,563 | 0 | 1,563 |
| Oct. 1, 1987 | 4,965 | 300 | 5,265 | Oct. 1, 1988 | 4,189 | 1,076 | 0 | 1,076 |
| Oct. 1, 1988 | 4,189 | 200 | 4,389 | Oct. 1, 1989 | 3,418 | 971 | 0 | 971 |

*Revision

Continued

Table 4.—Production, stocks, supply, and disappearance, by types, on a farm-sales-weight basis--Continued

| Connecticut Binder, types 51-52 (October-September Marketing year) | | | | | | | | | |
|---|------------------|---------------------|--------------|----------------|---------------|-----------|---------------|-----------|-----------|
| Marketing year | Beginning stocks | Production or sales | Total supply | Marketing year | Ending stocks | Total | Disappearance | | |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| Oct. 1, 1986 | 6,523 | 2,000 | 8,523 | Oct. 1, 1987 | 6,404 | 2,119 | 222 | | 1,897 |
| Oct. 1, 1987 | 6,404 | 1,779 | 8,183 | Oct. 1, 1988 | 6,227 | 1,956 | 180 | | 1,776 |
| Oct. 1, 1988 | 6,227 | 1,630 | 7,857 | Oct. 1, 1989 | 4,905 | 2,952 | 123 | | 2,829 |

| Wisconsin Binder, types 54-55 (October-September marketing year) | | | | | | | | | |
|---|--------|--------|--------|--------------|--------|--------|----|--|--------|
| Oct. 1, 1986 | 53,394 | 11,860 | 65,254 | Oct. 1, 1987 | 47,400 | 17,854 | 22 | | 17,832 |
| Oct. 1, 1987 | 47,400 | 8,370 | 55,770 | Oct. 1, 1988 | 36,106 | 19,664 | 0 | | 19,664 |
| Oct. 1, 1988 | 36,106 | 7,080 | 43,186 | Oct. 1, 1989 | 29,635 | 13,551 | 0 | | 13,551 |

| Cigar Wrapper, type 61 (July-June marketing year) | | | | | | | | | |
|--|-------|-------|-------|--------------|-------|-------|-------|--|-----|
| July 1, 1986 | 2,631 | 1,684 | 4,315 | July 1, 1987 | 2,185 | 2,130 | 1,850 | | 280 |
| July 1, 1987 | 2,185 | 1,590 | 3,775 | July 1, 1988 | 1,752 | 2,023 | 1,900 | | 123 |
| July 1, 1988 | 1,752 | 2,108 | 3,860 | July 1, 1989 | 1,749 | 2,114 | 2,000 | | 114 |

Table 5.—Summary of tobacco leaf represented in inventories of tobacco sheet, for cigar binder and wrapper, and for cigarettes (including smoking tobacco), shown separately on a reported-weight basis

| Cigar binder and wrapper | | | | | | | | | |
|--------------------------|---------------|-----------|-----------|-----------------|-----------|-----------|-----------------|-----------|-----------|
| U.S. type number | April 1, 1990 | | | January 1, 1990 | | | October 1, 1989 | | |
| | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total | Unstemmed | Stemmed | Total |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| 11-14 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 31 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 32 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 41 | 0 | 158 | 158 | 0 | 184 | 184 | 0 | 154 | 154 |
| 51 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 54-55 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 64 | 64 |
| 61 | 0 | 21 | 21 | 0 | 17 | 17 | 0 | 17 | 17 |
| 73 | 0 | 3 | 3 | 0 | 4 | 4 | 0 | 3 | 3 |
| 82 | 0 | 4 | 4 | 0 | 3 | 3 | 0 | 3 | 3 |
| 83 | 0 | 3 | 3 | 0 | 3 | 3 | 0 | 3 | 3 |
| 84 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 |
| 85 | 0 | 1 | 1 | 0 | 1 | 1 | 0 | 1 | 1 |
| 86 | 0 | 5 | 5 | 0 | 4 | 4 | 0 | 4 | 4 |
| 87 | 0 | 2 | 2 | 0 | 2 | 2 | 0 | 2 | 2 |
| 89 | 0 | 17 | 17 | 0 | 18 | 18 | 0 | 15 | 15 |
| 91 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total: | 0 | 215 | 215 | 0 | 237 | 237 | 0 | 267 | 267 |

| Cigarettes (including smoking tobacco) | | | | | | | | | |
|--|-----|--------|--------|-----|--------|--------|-----|--------|--------|
| 11-14 | 0 | 5,499 | 5,499 | 0 | 7,726 | 7,726 | 0 | 6,563 | 6,563 |
| 31 | 0 | 3,683 | 3,683 | 0 | 4,793 | 4,793 | 594 | 3,316 | 3,910 |
| 32 | 0 | 19 | 19 | 0 | 86 | 86 | 0 | 10 | 10 |
| 91 | 499 | 1,725 | 2,174 | 198 | 3,100 | 3,298 | 154 | 2,400 | 2,554 |
| 92 | 105 | 75 | 180 | 68 | 1,098 | 1,166 | 53 | 87 | 140 |
| 93 | 0 | 56 | 56 | 0 | 823 | 823 | | | |
| Total: | 554 | 11,057 | 11,611 | 266 | 17,626 | 17,892 | 801 | 12,376 | 13,177 |
| Grand Total: | 554 | 11,272 | 11,826 | 266 | 17,863 | 18,129 | 801 | 12,643 | 13,444 |

Table 6.--Stocks of leaf tobacco, types, showing separately quantities owned by dealers and manufacturers, April 1, 1990 compared with April 1, 1989, on a reported-weight basis 1/ 2/

| U.S. Type number | Reported as owned by manufacturers 3/ April 1, 1990 | | | | Reported as owned by dealers (including loan stocks) 3/ April 1, 1990 | | | |
|------------------------|--|-----------|-----------|--------------|--|-----------|-----------|--------------|
| | Unstemmed | Stemmed | Total | Apr. 1, 1989 | Unstemmed | Stemmed | Total | Apr. 1, 1989 |
| | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. | 1,000 lb. |
| 11-14 | 1,431 | 777,683 | 779,114 | 757,838 | 13,872 | 243,565 | 257,437 | 330,800 |
| 21 | 2,314 | 9 | 2,323 | 2,480 | 3,051 | 4 | 3,055 | 3,998 |
| 22-23 | 46,549 | 6,366 | 52,915 | 57,627 | 17,467 | 1,998 | 19,465 | 28,606 |
| 21-23 | 48,863 | 6,375 | 55,238 | 60,107 | 20,518 | 2,002 | 22,520 | 32,604 |
| 31 | 873 | 588,547 | 589,420 | 587,326 | 803 | 150,938 | 151,741 | 211,345 |
| 32 | 56 | 15,721 | 15,777 | 21,346 | 82 | 889 | 971 | 1,931 |
| 31-32 | 929 | 604,268 | 605,197 | 608,672 | 885 | 151,827 | 152,712 | 213,276 |
| 35-36 | 12,200 | 6,248 | 18,448 | 20,462 | 10,893 | 29 | 10,922 | 17,537 |
| 37 | 0 | 342 | 342 | 234 | 241 | 0 | 241 | 453 |
| 35-37 | 12,200 | 6,590 | 18,790 | 20,696 | 11,134 | 29 | 11,163 | 17,990 |
| 41 | 12,898 | 751 | 13,649 | 13,115 | 12,939 | 661 | 13,600 | 14,369 |
| 42-44 | 386 | 18 | 404 | 676 | 1,282 | 0 | 1,282 | 5,261 |
| 46 4/ | 435 | 145 | 580 | 276 | 1,427 | 0 | 1,427 | 3,531 |
| 41-46 | 13,719 | 914 | 14,633 | 14,067 | 15,648 | 661 | 16,309 | 23,161 |
| 51-52 | 1,664 | 235 | 1,899 | 2,184 | 2,431 | 0 | 2,431 | 2,957 |
| 54-55 | 19,244 | 623 | 19,867 | 21,551 | 12,298 | 21 | 12,319 | 13,176 |
| 51-55 | 20,908 | 858 | 21,766 | 23,735 | 14,729 | 21 | 14,750 | 16,133 |
| 61-62 | 398 | 29 | 427 | 1,064 | 1,524 | 21 | 1,545 | 1,625 |
| 72 | 0 | 6 | 6 | 100 | 40 | 9 | 49 | 2 |
| 73 5/ | 4,941 | 1,229 | 6,170 | 3,669 | 3 | 35 | 38 | 411 |
| 72-73 | 4,941 | 1,235 | 6,176 | 3,769 | 43 | 44 | 87 | 413 |
| 82 | 1,136 | 4,840 | 5,976 | 4,601 | 4,582 | 32 | 4,614 | 3,470 |
| 83 | 607 | 552 | 1,159 | 1,679 | 776 | 5 | 781 | 986 |
| 84 | 683 | 3,344 | 4,027 | 4,863 | 813 | 2 | 815 | 1,550 |
| 85 | 0 | 1,236 | 1,236 | 1,414 | 665 | 10 | 675 | 680 |
| 86 | 2,208 | 1,183 | 3,391 | 4,044 | 1,172 | 59 | 1,231 | 1,022 |
| 87 | 496 | 144 | 640 | 1,007 | 1,606 | 0 | 1,606 | 974 |
| 88 | 841 | 425 | 1,266 | 1,068 | 191 | 35 | 226 | 347 |
| 89 | 6,214 | 2,166 | 8,380 | 9,600 | 7,861 | 1,508 | 9,369 | 7,745 |
| 81-89 | 12,185 | 13,890 | 26,075 | 28,276 | 17,666 | 1,653 | 19,319 | 16,774 |
| 91 | 305,334 | 5,540 | 310,874 | 292,922 | 3,702 | 0 | 3,702 | 3,825 |
| 92 | 1,762 | 93,664 | 95,426 | 94,037 | 4,092 | 17,569 | 21,661 | 30,842 |
| 93 | 474 | 86,227 | 86,701 | 89,119 | 6,699 | 7,612 | 14,311 | 15,976 |
| 91-93 | 307,570 | 185,431 | 493,001 | 476,078 | 14,493 | 25,181 | 39,674 | 50,643 |
| 11-93 | 423,144 | 1,597,273 | 2,020,417 | 1,994,302 | 110,512 | 425,004 | 535,516 | 703,419 |

1/ Totals include stocks of leaf reported in tobacco sheet. See table 5.

2/ These statistics represent the quantity of leaf tobacco owned by dealers and manufacturers and others subject to the provisions of PL 661, enacted January 14, 1929, and the amendments thereto.

3/ The quantities shown as owned by manufacturers represent domestic manufacturers only. All government loan stocks are dealers' holdings.

4/ Includes stocks on the Island of Puerto Rico.

5/ For explanation of stocks included in this classification, see footnote 3/ on page 3.

Table 7.--Statistical summary on manufacture and sales of tobacco products

| Year and Quarter | Cigars | | | Cigarettes | | | Manufactured | | | | Smoking Tobacco | | | | Snuff | |
|---|------------------------------|---------|----------|------------|-------|----------|--------------|-----------|-------|------------|-----------------|------------|---------------|-------|-----------|--|
| | Large | Small | Millions | Large 1/ | Small | Millions | Plug | Moist | Twist | Loose Leaf | Pipe | Granulated | Cigarette cut | Dry | Moist | |
| 1990 2/ | | | | | | | | 1,000 lb. | | | | 1,000 lb. | | | 1,000 lb. | |
| Jan-Mar | (Not available at this time) | | | | | | 1,285 | 564 | 331 | 15,057 | 3,096 | 15 | 1,088 | 1,957 | 10,312 | |
| Apr-June | | | | | | | | | | | | | | | | |
| Jul-Sept | | | | | | | | | | | | | | | | |
| Oct-Dec | | | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | | | |
| 1989 | | | | | | | | | | | | | | | | |
| Jan-Mar | 476.8 | 297.3 | .24 | 174,589.1 | | | 1,454 | 638 | 332 | 16,997 | 3,043 | 24 | 1,080 | 1,849 | 9,397 | |
| Apr-June | 513.4 | 288.4 | .17 | 181,483.9 | | | 1,303 | 774 | 329 | 16,696 | 3,352 | 31 | 942 | 1,920 | 11,064 | |
| Jul-Sept | 485.9 | 299.5 | .07 | 157,599.8 | | | 1,413 | 776 | 287 | 16,050 | 3,121 | 30 | 1,029 | 1,586 | 11,089 | |
| Oct-Dec | 504.1 | 276.4 | 1.3 | 163,526.8 | | | 1,289 | 694 | 310 | 15,163 | 3,159 | 41 | 1,104 | 1,698 | 11,084 | |
| Total | 1,980.2 | 1,161.6 | 1.78 | 677,199.6 | | | 5,459 | 2,882 | 1,258 | 64,906 | 12,675 | 126 | 4,155 | 7,053 | 42,634 | |
| Taxable removals and domestic invoices 3/ | | | | | | | | | | | | | | | | |
| 1990 2/ | | | | | | | | | | | | | | | | |
| Jan-Mar | (Not available at this time) | | | | | | 1,237 | 567 | 306 | 14,131 | 2,737 | 25 | 962 | 1,682 | 10,305 | |
| Apr-June | | | | | | | | | | | | | | | | |
| Jul-Sept | | | | | | | | | | | | | | | | |
| Oct-Dec | | | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | | | |
| 1989 | | | | | | | | | | | | | | | | |
| Jan-Mar | 536.9 | 286.3 | .07 | 140,573.7 | | | 1,387 | 584 | 313 | 14,988 | 2,820 | 24 | 975 | 1,792 | 9,976 | |
| Apr-June | 660.4 | 302.6 | .17 | 148,758.0 | | | 1,425 | 719 | 340 | 16,567 | 3,258 | 32 | 983 | 1,885 | 10,715 | |
| Jul-Sept | 586.6 | 281.8 | .05 | 118,356.5 | | | 1,342 | 693 | 313 | 16,410 | 2,858 | 30 | 986 | 1,761 | 10,738 | |
| Oct-Dec | 580.8 | 276.1 | .07 | 132,380.1 | | | 1,303 | 666 | 324 | 15,552 | 3,116 | 36 | 1,004 | 1,743 | 10,521 | |
| Total | 2,364.7 | 1,146.8 | .36 | 540,068.3 | | | 5,457 | 2,662 | 1,290 | 63,517 | 12,052 | 122 | 3,948 | 7,181 | 41,950 | |
| Tax-free removals and exports | | | | | | | | | | | | | | | | |
| 1990 2/ | | | | | | | | | | | | | | | | |
| Jan-Mar | (Not available at this time) | | | | | | 36 | 3 | 0 | 12 | 115 | 0 | 0 | 0 | 189 | |
| Apr-June | | | | | | | | | | | | | | | | |
| Jul-Sept | | | | | | | | | | | | | | | | |
| Oct-Dec | | | | | | | | | | | | | | | | |
| Total | | | | | | | | | | | | | | | | |
| 1989 | | | | | | | | | | | | | | | | |
| Jan-Mar | 19.6 | 0.2 | 0 | 34,068.3 | | | 43 | 23 | 0 | 29 | 93 | 0 | 0 | 0 | 221 | |
| Apr-June | 22.0 | 0.4 | 0 | 35,328.6 | | | 38 | 5 | 0 | 12 | 145 | 0 | 0 | 0 | 179 | |
| Jul-Sept | 22.2 | 0.9 | 0 | 38,214.1 | | | 35 | 13 | 0 | 19 | 142 | 0 | 0 | 0 | 206 | |
| Oct-Dec | 12.3 | 0.4 | 0 | 39,883.8 | | | 18 | 6 | 0 | 17 | 209 | 0 | 0 | 0 | 191 | |
| Total | 76.1 | 1.9 | 0 | 147,494.8 | | | 134 | 47 | 0 | 77 | 589 | 0 | 0 | 0 | 797 | |

1/ Weighing more than 3 pounds per thousand.

2/ Subject to revision.

3/ Includes cigars and cigarettes imported or brought into the United States from Puerto Rico.

Table 8.--Volume of imported Flue-cured tobacco inspected by grade, Calendar Year 1990

| Foreign - grown flue - cured Type 92 | | | | | | Foreign - grown flue - cured Type 92 | | | | | |
|--------------------------------------|--------------------------|-----|-----|-----|-------|--------------------------------------|--------------------------|-----|-----|-----|-------|
| Grade 1/ | Quarters | | | | | Grade 1/ | Quarters | | | | |
| | 1st | 2nd | 3rd | 4th | Total | | 1st | 2nd | 3rd | 4th | Total |
| | ----- 1,000 Pounds ----- | | | | | | ----- 1,000 Pounds ----- | | | | |
| B3L | - | - | - | - | - | SC4KF | - | - | - | - | - |
| SB3L | - | - | - | - | - | C3KM | - | - | - | - | - |
| B4L | - | - | - | - | - | SC3KM | - | - | - | - | - |
| SB4L | - | - | - | - | - | C4KM | 470 | - | - | - | 470 |
| B3F | - | - | - | - | - | SC4KM | - | - | - | - | - |
| SB3F | - | - | - | - | - | SC4KM-W | - | - | - | - | - |
| B4F | - | - | - | - | - | SC4KK | - | - | - | - | - |
| SB4F | - | - | - | - | - | C4S | 39 | - | - | - | 39 |
| B5F | - | - | - | - | - | SC4S | - | - | - | - | - |
| SB5F | - | - | - | - | - | C4G | - | - | - | - | - |
| B6F | - | - | - | - | - | C4GK | - | - | - | - | - |
| B3FR | - | - | - | - | - | SC4GK | 147 | - | - | - | 147 |
| B4FR | - | - | - | - | - | X3L | - | - | - | - | - |
| B4K | - | - | - | - | - | X4L | - | - | - | - | - |
| SB4K | - | - | - | - | - | SX4L | - | - | - | - | - |
| B5K | - | - | - | - | - | X3LL | - | - | - | - | - |
| SB5K | - | - | - | - | - | X4LL | - | - | - | - | - |
| B6K | - | - | - | - | - | SX4LL | - | - | - | - | - |
| SB6K | - | - | - | - | - | X3F | - | - | - | - | - |
| B3KR | - | - | - | - | - | SX3F | - | - | - | - | - |
| SB3KR | - | - | - | - | - | X4F | - | - | - | - | - |
| B4KR | - | - | - | - | - | SX4F | - | - | - | - | - |
| SB4KR | - | - | - | - | - | SX4F-W | - | - | - | - | - |
| B5KR | - | - | - | - | - | X5F | - | - | - | - | - |
| SB5KR | - | - | - | - | - | SX5F | 199 | - | - | - | 199 |
| B3V | - | - | - | - | - | SX5F-W | - | - | - | - | - |
| SB3V | - | - | - | - | - | SX3KR | - | - | - | - | - |
| B4V | 96 | - | - | - | 96 | X4KR | - | - | - | - | - |
| SB4V | - | - | - | - | - | SX4KR | - | - | - | - | - |
| B3KL | - | - | - | - | - | X3V | - | - | - | - | - |
| SB3KL | - | - | - | - | - | SX3V | - | - | - | - | - |
| B4KL | - | - | - | - | - | X4V | - | - | - | - | - |
| SB4KL | - | - | - | - | - | X4KL | - | - | - | - | - |
| B5KL | - | - | - | - | - | SX4KL | - | - | - | - | - |
| SB5KL | - | - | - | - | - | X4KF | - | - | - | - | - |
| B6KL | - | - | - | - | - | SX4KF | - | - | - | - | - |
| SB6KL | - | - | - | - | - | SX4KV | 124 | - | - | - | 124 |
| B3KF | 139 | - | - | - | 139 | X3KM | - | - | - | - | - |
| SB3KF | - | - | - | - | - | SX3KM | - | - | - | - | - |
| B4KF | 49 | - | - | - | 49 | X4KM | - | - | - | - | - |
| SB4KF | 22 | - | - | - | 22 | SX4KM | - | - | - | - | - |
| B5KF | 16 | - | - | - | 16 | SX4KM-W | - | - | - | - | - |
| SB5KF | 2,654 | - | - | - | 2,654 | X3S | - | - | - | - | - |
| B6KF | - | - | - | - | - | SX3S | 198 | - | - | - | 198 |
| SB6KF | - | - | - | - | - | X4S | - | - | - | - | - |
| B4KD | - | - | - | - | - | SX4S | - | - | - | - | - |
| SB4KD | - | - | - | - | - | SX5G | - | - | - | - | - |
| B5KD | - | - | - | - | - | X4GK | - | - | - | - | - |
| SB5KD | - | - | - | - | - | SX4GK | - | - | - | - | - |
| B6KD | - | - | - | - | - | P3L | 70 | - | - | - | 70 |
| SB6KD | - | - | - | - | - | P4L | - | - | - | - | - |
| B3KM | 355 | - | - | - | 355 | P5L | - | - | - | - | - |
| SB3KM | - | - | - | - | - | SP5L | - | - | - | - | - |
| B4KM | 317 | - | - | - | 317 | P3F | 14 | - | - | - | 14 |
| SB4KM | 780 | - | - | - | 780 | P4F | 9 | - | - | - | 9 |
| B4KM-W | - | - | - | - | - | SP4F | - | - | - | - | - |
| SB4KM-W | - | - | - | - | - | SP4F-W | - | - | - | - | - |
| B5KM | 2 | - | - | - | 2 | P5F | - | - | - | - | - |
| SB5KM | 253 | - | - | - | 253 | SP5F | - | - | - | - | - |
| B6KM | - | - | - | - | - | SP5G | - | - | - | - | - |
| SB6KM | - | - | - | - | - | SM4F | - | - | - | - | - |
| B4KK | - | - | - | - | - | M5F | - | - | - | - | - |
| SB4KK | - | - | - | - | - | SM5F | - | - | - | - | - |
| SB5KK | - | - | - | - | - | M4KM | 87 | - | - | - | 87 |
| SB6KK | - | - | - | - | - | SM4KM | - | - | - | - | - |
| SB5KV | - | - | - | - | - | M5KM | - | - | - | - | - |
| SB6KV | - | - | - | - | - | SM5KM | 41 | - | - | - | 41 |
| B3S | 198 | - | - | - | 198 | M4GK | - | - | - | - | - |
| SB3S | - | - | - | - | - | SM4GK | - | - | - | - | - |
| B4S | - | - | - | - | - | M5GK | - | - | - | - | - |
| SB4S | - | - | - | - | - | SM5GK | - | - | - | - | - |
| B5S | - | - | - | - | - | N1L | - | - | - | - | - |
| SB4G | 397 | - | - | - | 397 | SN1L | - | - | - | - | - |
| SB5GR | - | - | - | - | - | N1XL | - | - | - | - | - |
| B4GK | - | - | - | - | - | SN1XL | 166 | - | - | - | 166 |
| SB4GK | 205 | - | - | - | 205 | N1K | - | - | - | - | - |
| B5GK | - | - | - | - | - | SN1K | - | - | - | - | - |
| SB5GK | - | - | - | - | - | N1R | - | - | - | - | - |
| B6GK | - | - | - | - | - | SN1R | - | - | - | - | - |
| SB6GK | - | - | - | - | - | N1KV | - | - | - | - | - |
| B5GG | - | - | - | - | - | SN1KV | 55 | - | - | - | 55 |
| SH4K | - | - | - | - | - | SN1KV-W | - | - | - | - | - |
| H5K | - | - | - | - | - | SN1GL | 36 | - | - | - | 36 |
| C4L | - | - | - | - | - | N1GF | - | - | - | - | - |
| SC4L | - | - | - | - | - | SN1GF | - | - | - | - | - |
| C5L | - | - | - | - | - | N1GF-W | - | - | - | - | - |
| SC5L | - | - | - | - | - | N1GR | - | - | - | - | - |
| C4LL | - | - | - | - | - | SN1GR | - | - | - | - | - |
| C5LP | - | - | - | - | - | SN1GG | - | - | - | - | - |
| SC4LL | - | - | - | - | - | N1B0 | - | - | - | - | - |
| C4F | - | - | - | - | - | SN1B0 | - | - | - | - | - |
| SC4F | - | - | - | - | - | N2 | - | - | - | - | - |
| C5F | - | - | - | - | - | SN2 | - | - | - | - | - |
| SC5F | - | - | - | - | - | NOG | 151 | - | - | - | 151 |
| C4KR | - | - | - | - | - | SN0G | - | - | - | - | - |
| SC4KR | - | - | - | - | - | SCRAP | 620 | - | - | - | 620 |
| C4V | - | - | - | - | - | SSCRAP | - | - | - | - | - |
| SC4V | - | - | - | - | - | STEMS | 579 | - | - | - | 579 |
| C4KL | - | - | - | - | - | | | | | | |
| SC4KL | - | - | - | - | - | TOTAL | 8,492 | | | | 8,492 |

See footnotes on page 11.

Table 9.--Volume of imported Burley tobacco inspected by grade, Calendar Year 1989

| Foreign - grown burley Type 93 | | | | | | Foreign - grown burley Type 93 | | | | | |
|--------------------------------|--------------------------|-----|-----|-----|-------|--------------------------------|--------------------------|-----|-----|-----|--------|
| Grade 1/ | Quarters | | | | Total | Grade 1/ | Quarters | | | | Total |
| | 1st | 2nd | 3rd | 4th | | | 1st | 2nd | 3rd | 4th | |
| | ----- 1,000 Pounds ----- | | | | | | ----- 1,000 Pounds ----- | | | | |
| SX3L | - | - | - | - | - | SB3M | - | - | - | - | - |
| X4L | - | - | - | - | - | B4M | 1,384 | - | - | - | 1,384 |
| SX4L | - | - | - | - | - | SB4M | 2 | - | - | - | 2 |
| X5L | - | - | - | - | - | SB4M-W | - | - | - | - | - |
| SX5L | - | - | - | - | - | B5M | - | - | - | - | - |
| X3F | - | - | - | - | - | SB5M | 698 | - | - | - | 698 |
| SX3F | - | - | - | - | - | B4VF | - | - | - | - | - |
| X4F | - | - | - | - | - | SB4VF | 79 | - | - | - | 79 |
| SX4F | - | - | - | - | - | SB4VF-W | - | - | - | - | - |
| SX4F-W | - | - | - | - | - | B5VF | - | - | - | - | - |
| X5F | - | - | - | - | - | SB5VF | 572 | - | - | - | 572 |
| SX5F | - | - | - | - | - | B4VR | - | - | - | - | - |
| SX5F-W | - | - | - | - | - | SB4VR | - | - | - | - | - |
| X4M | 208 | - | - | - | 208 | B5VR | - | - | - | - | - |
| SX4M | - | - | - | - | - | SB5VR | - | - | - | - | - |
| X5M | 6 | - | - | - | 6 | B4GF | - | - | - | - | - |
| SX5M | - | - | - | - | - | B5GF | - | - | - | - | - |
| X4G | - | - | - | - | - | SB5GF | - | - | - | - | - |
| X5G | - | - | - | - | - | B5GR | - | - | - | - | - |
| C4L | - | - | - | - | - | SB5GR | - | - | - | - | - |
| SC4L | - | - | - | - | - | T4F | - | - | - | - | - |
| SC5L | - | - | - | - | - | T5F | - | - | - | - | - |
| C3F | - | - | - | - | - | T3FR | - | - | - | - | - |
| SC3F | 13 | - | - | - | 13 | T4FR | 23 | - | - | - | 23 |
| C4F | - | - | - | - | - | ST4FR | - | - | - | - | - |
| SC4F | - | - | - | - | - | T5FR | 306 | - | - | - | 306 |
| C5F | 80 | - | - | - | 80 | ST5FR | - | - | - | - | - |
| SC5F | 238 | - | - | - | 238 | T4R | - | - | - | - | - |
| SC5F-W | - | - | - | - | - | T5R | - | - | - | - | - |
| C4K | - | - | - | - | - | T4D | - | - | - | - | - |
| SC4K | - | - | - | - | - | T4K | - | - | - | - | - |
| C5K | - | - | - | - | - | T5K | - | - | - | - | - |
| SC5K | - | - | - | - | - | ST5K | - | - | - | - | - |
| C3M | - | - | - | - | - | T4VF | - | - | - | - | - |
| SC3M | - | - | - | - | - | T5VF | - | - | - | - | - |
| C4M | 1,012 | - | - | - | 1,012 | T4VR | - | - | - | - | - |
| SC4M | 27 | - | - | - | 27 | T5VR | - | - | - | - | - |
| SC4M-W | - | - | - | - | - | T4GF | - | - | - | - | - |
| C5M | 165 | - | - | - | 165 | T5GF | - | - | - | - | - |
| SC5M | 2,672 | - | - | - | 2,672 | T4GR | 46 | - | - | - | 46 |
| SC5M-W | - | - | - | - | - | T5GR | - | - | - | - | - |
| C4V | - | - | - | - | - | SM3F | - | - | - | - | - |
| SC4V | - | - | - | - | - | M4F | 438 | - | - | - | 438 |
| SC5V | - | - | - | - | - | SM4F | 2,026 | - | - | - | 2,026 |
| C4G | - | - | - | - | - | SM4F-U | - | - | - | - | - |
| C5G | - | - | - | - | - | SM4F-W | - | - | - | - | - |
| SC5G | - | - | - | - | - | M5F | - | - | - | - | - |
| B3F | - | - | - | - | - | SM5F | 635 | - | - | - | 635 |
| SB3F | - | - | - | - | - | SM5F-W | - | - | - | - | - |
| B4F | - | - | - | - | - | M4FR | - | - | - | - | - |
| SB4F | - | - | - | - | - | SM4FR | 1,904 | - | - | - | 1,904 |
| SB4F-W | - | - | - | - | - | SM4FR-W | - | - | - | - | - |
| B5F | - | - | - | - | - | M5FR | 207 | - | - | - | 207 |
| SB5F | 480 | - | - | - | 480 | SM5FR | 166 | - | - | - | 166 |
| SB5F-U | - | - | - | - | - | M5FR-U | - | - | - | - | - |
| B3FR | - | - | - | - | - | M4K | - | - | - | - | - |
| B4FR | - | - | - | - | - | N1L | 13 | - | - | - | 13 |
| SB4FR | - | - | - | - | - | SN1L | 75 | - | - | - | 75 |
| B5FR | - | - | - | - | - | N1F | - | - | - | - | - |
| SB5FR | - | - | - | - | - | SN1F | - | - | - | - | - |
| SB5FR-W | - | - | - | - | - | N1R | - | - | - | - | - |
| B4R | - | - | - | - | - | SN1R | - | - | - | - | - |
| SB4R | - | - | - | - | - | N1G | - | - | - | - | - |
| B5R | - | - | - | - | - | SN1G | - | - | - | - | - |
| SB5R | 361 | - | - | - | 361 | N2L | - | - | - | - | - |
| SB4D | - | - | - | - | - | N2R | - | - | - | - | - |
| B5D | - | - | - | - | - | N2G | - | - | - | - | - |
| SB5D | - | - | - | - | - | SN2G | - | - | - | - | - |
| B3K | - | - | - | - | - | N0G | 54 | - | - | - | 54 |
| B4K | - | - | - | - | - | SN0G | - | - | - | - | - |
| SB4K | - | - | - | - | - | SCRAP | 304 | - | - | - | 304 |
| B5K | - | - | - | - | - | SSCRAP | - | - | - | - | - |
| SB5K | - | - | - | - | - | STEMS | 414 | - | - | - | 414 |
| B3M | - | - | - | - | - | TOTAL | 14,608 | - | - | - | 14,608 |

See footnotes on page 11.

Table 1D.--Volume of imported Flue-cured and Burley tobacco inspected by country, Calendar Year 1990

| Foreign - grown Flue-cured Type 92 | | | | | | | | | | | | |
|------------------------------------|-------|-----|-----|-----|-------|--------------------------|-------|-----|-----|-----|-------|--|
| Quarters | | | | | | Quarters | | | | | | |
| Country | 1st | 2nd | 3rd | 4th | Total | Country | 1st | 2nd | 3rd | 4th | Total | |
| ----- 1,000 Pounds ----- | | | | | | ----- 1,000 Pounds ----- | | | | | | |
| ARGENTINA | 257 | | | | 257 | NICARAGUA | - | | | | - | |
| BRAZIL | 1,011 | | | | 1,011 | PERU | - | | | | - | |
| CANADA | 2,625 | | | | 2,625 | PHILIPPINES | - | | | | - | |
| CHINA | 198 | | | | 198 | POLAND | - | | | | - | |
| DOMINICAN REP. | - | | | | - | PORTUGAL | - | | | | - | |
| DENMARK (Blend) | 83 | | | | 83 | SOUTH AFRICA | - | | | | - | |
| ECUADOR | - | | | | - | SOUTH KOREA | - | | | | - | |
| ENGLAND (Blend) | - | | | | - | SPAIN | - | | | | - | |
| FRANCE | 699 | | | | 699 | SWITZERLAND | - | | | | - | |
| GERMANY | 152 | | | | 152 | TAIWAN | 55 | | | | 55 | |
| GREECE | - | | | | - | TANZANIA | - | | | | - | |
| HONDURAS | - | | | | - | THAILAND | 56 | | | | 56 | |
| HUNGARY | - | | | | - | USA (RETURNED) | - | | | | - | |
| INDIA | - | | | | - | URUGUAY | - | | | | - | |
| ITALY | - | | | | - | VENEZUELA | - | | | | - | |
| JAPAN | 238 | | | | 238 | YUGOSLAVIA | - | | | | - | |
| MALAWI | 166 | | | | 166 | ZIMBABWE | 2,879 | | | | 2,879 | |
| MEXICO | - | | | | - | | | | | | | |
| NETHERLANDS | 73 | | | | 73 | TOTAL | 8,492 | | | | 8,492 | |

| Foreign - grown burley Type 93 | | | | | | | | | | | | |
|--------------------------------|-------|-----|-----|-----|-------|--------------------------|--------|-----|-----|-----|--------|--|
| Quarters | | | | | | Quarters | | | | | | |
| Country | 1st | 2nd | 3rd | 4th | Total | Country | 1st | 2nd | 3rd | 4th | Total | |
| ----- 1,000 Pounds ----- | | | | | | ----- 1,000 Pounds ----- | | | | | | |
| ARGENTINA | 166 | | | | 166 | JAPAN | 8,278 | | | | 8,278 | |
| BRAZIL | 94 | | | | 94 | MALAWI | - | | | | - | |
| CANADA | 248 | | | | 248 | MALAYSIA | - | | | | - | |
| CHILE | 159 | | | | 159 | MEXICO | 305 | | | | 305 | |
| CHINA | - | | | | - | NETHERLANDS | 73 | | | | 73 | |
| COLUMBIA | - | | | | - | PANAMA | - | | | | - | |
| DENMARK (Blend) | 28 | | | | 28 | PARAGUAY | - | | | | - | |
| DOMINICAN REP: | - | | | | - | PHILIPPINES | - | | | | - | |
| ECUADOR | - | | | | - | POLAND | - | | | | - | |
| EL SALVADOR | - | | | | - | NICARAGUA | - | | | | - | |
| ENGLAND (Blend) | - | | | | - | SOUTH AFRICA | - | | | | - | |
| FRANCE | 1,170 | | | | 1,170 | SOUTH KOREA | 480 | | | | 480 | |
| GERMANY | 111 | | | | 111 | SPAIN | - | | | | - | |
| GREECE | - | | | | - | SWITZERLAND | - | | | | - | |
| GUATEMALA | 2,323 | | | | 2,323 | THAILAND | 291 | | | | 291 | |
| HAITI | - | | | | - | USA (RETURNED) | - | | | | - | |
| HONDURAS | - | | | | - | ZIMBABWE | 12 | | | | 12 | |
| INDONESIA | - | | | | - | | | | | | | |
| ITALY | 870 | | | | 870 | TOTAL | 14,608 | | | | 14,608 | |

See footnotes on page 11.

Table 11.--Volume of imported Dark air-cured tobacco inspected by grade and country, Calendar Year 1990

| Foreign - grown dark air-cured Type 95 | | | | | | Foreign - grown dark air-cured Type 95 | | | | | |
|--|----------|-----|-----|-----|-------|--|----------|-----|-----|-----|-------|
| Grade 1/: | Quarters | | | | | Country | Quarters | | | | |
| | 1st | 2nd | 3rd | 4th | Total | | 1st | 2nd | 3rd | 4th | Total |
| ----- 1,000 Pounds ----- | | | | | | ----- 1,000 Pounds ----- | | | | | |
| B4F2 | - | | | | - | BELGIUM | - | | | | - |
| B4R | - | | | | - | BRAZIL | - | | | | - |
| B4R2 | - | | | | - | CANADA | 29 | | | | 29 |
| SB4R | - | | | | - | CHINA | - | | | | - |
| B5R2 | - | | | | - | FRANCE | - | | | | - |
| B3M3 | - | | | | - | HONDURAS | - | | | | - |
| C4F | - | | | | - | INDIA | - | | | | - |
| C4F2 | - | | | | - | INDONESIA | - | | | | - |
| C5F | - | | | | - | ITALY | 124 | | | | 124 |
| C5F2 | - | | | | - | MALAWI | - | | | | - |
| SC5F | - | | | | - | MEXICO | - | | | | - |
| C5R1 | - | | | | - | SOUTH AFRICA | - | | | | - |
| C4R2 | - | | | | - | SOUTH KOREA | - | | | | - |
| SC4R | - | | | | - | | | | | | |
| C5R | - | | | | - | | | | | | |
| C5R2 | - | | | | - | | | | | | |
| SC5R | 29 | | | | 29 | | | | | | |
| C4M | - | | | | - | | | | | | |
| C4M2 | - | | | | - | | | | | | |
| C4M3 | - | | | | - | | | | | | |
| C5M1 | - | | | | - | | | | | | |
| C5M2 | - | | | | - | | | | | | |
| SC5M | - | | | | - | | | | | | |
| C4G3 | - | | | | - | | | | | | |
| C5G2 | 35 | | | | 35 | | | | | | |
| SC4M | - | | | | - | | | | | | |
| X4R | - | | | | - | | | | | | |
| X3M | - | | | | - | | | | | | |
| X4M | - | | | | - | | | | | | |
| X5M | - | | | | - | | | | | | |
| X4G | - | | | | - | | | | | | |
| X5G | - | | | | - | | | | | | |
| SX5G | - | | | | - | | | | | | |
| SN1L | - | | | | - | | | | | | |
| N1G | 89 | | | | 89 | | | | | | |
| N2G | - | | | | - | | | | | | |
| TOTAL | 153 | | | | 153 | TOTAL | 153 | | | | 153 |

Table 12.--Volume of imported Fire-cured tobacco inspected by grade and country, 1989

| Foreign - grown fire-cured Type 96 | | | | | | Foreign - grown fire-cured Type 96 | | | | | |
|------------------------------------|----------|-----|-----|-----|-------|------------------------------------|----------|-----|-----|-----|-------|
| Grade 1/2 | Quarters | | | | | Country | Quarters | | | | |
| | 1st | 2nd | 3rd | 4th | Total | | 1st | 2nd | 3rd | 4th | Total |
| ----- 1,000 Pounds ----- | | | | | | ----- 1,000 Pounds ----- | | | | | |
| A2F2 | - | | | | - | CANADA | - | | | | - |
| B4F2 | - | | | | - | ITALY | - | | | | - |
| B3D2 | - | | | | - | MALAWI | - | | | | - |
| B5M | - | | | | - | POLAND | - | | | | - |
| C4F | - | | | | - | SOUTH KOREA | - | | | | - |
| C4F2 | - | | | | - | USA (RETURNED) | - | | | | - |
| C5F2SF | - | | | | - | | | | | | |
| C3D2 | - | | | | - | | | | | | |
| C4D2 | - | | | | - | | | | | | |
| C5D2 | - | | | | - | | | | | | |
| C3VF2 | - | | | | - | | | | | | |
| C4VF2 | - | | | | - | | | | | | |
| X4F | - | | | | - | | | | | | |
| X4VF | - | | | | - | | | | | | |
| X4D | - | | | | - | | | | | | |
| SN1D | - | | | | - | | | | | | |
| N1GL | - | | | | - | | | | | | |
| TOTAL | 0 | | | | 0 | TOTAL | 0 | | | | 0 |

1/ Imported tobacco is subject to the same inspection procedures as domestic leaf and standard U. S. grades are applied. The prefix "S" indicates tobacco packed in strips, the letter "U" indicate unsound or damaged tobacco and the letter "W" indicates tobacco in unsafe keeping order.

2/ Less than 500 pounds.

Detail may not add to total due to rounding.

*Revision

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
TOBACCO DIVISION
WASHINGTON, DC 20250